





ITEM CODE: DPH OFFSET PULL HANDLES







Features:

- Area of application: for wood, steel or glass doors
- Material: Stainless steel EN 1.4301 (type SUS304). Optional: Stainless steel EN 1.4401 (type SUS316)
- Available in round design.
- Accessories are available in back-to-back, bolt through and concealed fixing
- Standard available lengths: 1200 mm, 1000 mm, 800 mm, 600 mm and 500 mm. Optional lengths are available.
- Standard finish: Satin Stainless Steel (SSS). Other finishes are available upon request.



DPH30X800- C/C 500 MM	DPH30X1000- C/C 600 MM	DPH30X1200- C/C 800 MM
 <p>Technical drawing of the DPH30X800 handle. It shows a side view of the handle with two levers. Dimensions include a total length of 800 mm, a center-to-center distance of 500 mm, a handle diameter of 30 mm, a lever length of 109 mm, and a lever thickness of 25.4 mm. A detail view at the bottom shows the lever's profile with a 109 mm length.</p>	 <p>Technical drawing of the DPH30X1000 handle. It shows a side view of the handle with two levers. Dimensions include a total length of 1000 mm, a center-to-center distance of 600 mm, a handle diameter of 30 mm, a lever length of 109 mm, and a lever thickness of 25.4 mm. A detail view at the bottom shows the lever's profile with a 109 mm length.</p>	 <p>Technical drawing of the DPH30X1200 handle. It shows a side view of the handle with two levers. Dimensions include a total length of 1200 mm, a center-to-center distance of 800 mm, a handle diameter of 30 mm, a lever length of 109 mm, and a lever thickness of 25.4 mm. A detail view at the bottom shows the lever's profile with a 109 mm length.</p>

ACCESSORIES TYPE SUITABLE FOR CRANKED PULL HANDLES

<p>BACK TO BACK ACC D1</p> <p>FOR ALL DOORS TYPES</p>		
<p>BOLT THROUGH WITH COVER CAP ACC 6B</p> <p>FOR ALL TYPES OF DOORS</p>		
<p>BOLT THROUGH ACC 7B</p> <p>FOR ALL TYPES OF DOORS</p>		
<p>CONCEALED FIXING ACC X2</p> <p>FOR ALL TYPES OF DOORS</p>	