

## ITEM CODE: SERIES 4000, 4100 & 4200





- Features:
- Heavy duty cylindrical bored locks.
- UL listed. UL10C 3 hours fire rated.
- ADA compliant (American with Disabilities Act), ANSI A117 (Accessible and Usable Buildings and Facilities).
- Non-handed for simple installation.
- Series 4000: Standard key-in-lever.
- Series 4100: Standard accepts 6 or 7 pins SFIC cylinder. Optional key-in-lever.
- Series 4200: Standard accepts 6 or 7 pins SFIC cylinder.
- Designed for leaf thickness 35-50 mm standard.
- Standard backset: 70 mm.
- Latchbolt 12.7 mm throw in stainless steel (Series 4000 & 4100).
- Latchbolt 19 mm throw in stainless steel (Series 4200).
- Strikes:
  - D Strike (Full lipping) for Series 4000.
  - T Strike for Series 4100.
  - ASA Strike for Series 4200.
- Available in knob or lever handle.
- Series 4000 material base: SUS304.
- Series 4100 & 4200 material base: lever is zinc, rose is SUS304.
- Cylinders and keys: Small format Interchangeable core (SFIC) cylinders, 6 or 7 pins SFIC cylinders with 2 operating keys + 1 control key. Sold separately.
- Master key systems and Keyalike options are available upon request.
- Standard finishes:
  - 630 (satin stainless steel) for Series 4000.
  - 626 (satin chrome plated) for Series 4100 & 4200.
  - Other finishes are available upon request.

# CYLINDRICAL BORED LOCKS



**SERIES 4000-F81-KNOB**

**D STRIKE**





**SERIES 4100-F81-AH471**

**T STRIKE**











**SERIES 4200-F81-AH471**

**ASA STRIKE**



# CYLINDRICAL BORED LOCKS









## SERIES 4000 & 4100 AVAILABLE FUNCTIONS

<p><b>OUTSIDE/INSIDE - PASSAGE (F75), SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>Both lever always unlocked</li> </ul>	<p><b>OUTSIDE/INSIDE - PRIVACY (F76), SERIES 4000 &amp; 4100</b></p>  <ul style="list-style-type: none"> <li>Push-button locking</li> <li>Can be opened from outside with small narrow tool</li> <li>Turning the inside lever releases button</li> </ul>
<p><b>OUTSIDE/INSIDE - ENTRY (F81), SERIES 4000 &amp; 4100</b></p>  <ul style="list-style-type: none"> <li>Outside lever locked and unlocked by key or by turn-button on inside lever</li> <li>Inside lever always unlocked</li> </ul>	<p><b>OUTSIDE/INSIDE - CLASSROOM (F84), SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>Outside lever locked and unlocked by key</li> <li>Inside lever always unlocked</li> </ul>
<p><b>OUTSIDE/INSIDE - STOREROOM (F86), SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>Outside lever fixed</li> <li>Entrance by key only</li> <li>Inside lever always unlocked</li> </ul>	<p><b>OUTSIDE/INSIDE - COMMUNICATING (F80), SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>Deadlocking latchbolt operated by lever from either side.</li> <li>Turning key in either lever locks or unlocks its own lever independently.</li> </ul>
<p><b>OUTSIDE/INSIDE - EXIT WITH SFIC - CONNECTING ROOM, SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>The inside lever is locked or unlocked by key.</li> <li>When unlocked the lockset provides Exit.</li> <li>When locked, the lockset stops Exit.</li> <li>Blank plate outside.</li> </ul>	<p><b>OUTSIDE/INSIDE - EXIT WITHOUT SFIC - CONNECTING ROOM, SERIES 4100</b></p>  <ul style="list-style-type: none"> <li>Deadlocking latchbolt operated from inside only.</li> <li>Blank plate outside.</li> </ul>





# CYLINDRICAL BORED LOCKS



**SERIES 4200 AVAILABLE FUNCTIONS**

OUTSIDE/INSIDE - PASSAGE (F75)	OUTSIDE/INSIDE - PRIVACY (F76)
 <ul style="list-style-type: none"> <li>Both lever always unlocked</li> </ul>	 <ul style="list-style-type: none"> <li>Push-button locking</li> <li>Can be opened from outside with small narrow tool</li> <li>Turning the inside lever releases button</li> </ul>
OUTSIDE/INSIDE - ENTRY (F81)	OUTSIDE/INSIDE - CLASSROOM (F84)
 <ul style="list-style-type: none"> <li>Outside lever locked and unlocked by key or by turn-button on inside lever</li> <li>Inside lever always unlocked</li> </ul>	 <ul style="list-style-type: none"> <li>Outside lever locked and unlocked by key</li> <li>Inside lever always unlocked</li> </ul>
OUTSIDE/INSIDE - STOREROOM (F86)	OUTSIDE/INSIDE - INSTITUTIONAL (F87)
 <ul style="list-style-type: none"> <li>Outside lever fixed</li> <li>Entrance by key only</li> <li>Inside lever always unlocked</li> </ul>	 <ul style="list-style-type: none"> <li>Dead locking latch bolt operated by key in lever, from either side. Both levers always inoperable.</li> </ul>
OUTSIDE/INSIDE - EXIT WITH SFIC - CONNECTING	OUTSIDE/INSIDE - INTRUDER (F110)
 <ul style="list-style-type: none"> <li>The inside lever is locked or unlocked by key.</li> <li>When unlocked the lockset provides Exit.</li> <li>When locked, the lockset stops Exit.</li> <li>Blank plate outside.</li> </ul>	 <ul style="list-style-type: none"> <li>Dead locking latch bolt operated by lever from either side. Key either inside or outside locks or unlocks outside lever. Inside lever always operates latchbolt.</li> </ul>

# CYLINDRICAL BORED LOCKS

SERIES 4200 AVAILABLE FUNCTIONS

OUTSIDE/INSIDE - CORRIDOR (F90)	S. DUMMY
 <ul style="list-style-type: none"> <li>• Dead locking latch bolt operated by lever from either side except when outside lever is locked by key in outside lever or by push button or other locking device on inside.</li> <li>• Key in outside lever locks or unlocks outside lever.</li> <li>• Operating inside lever releases push button or other locking device placed in a locked position. Closing door releases push button or other inside locking device. Inside lever always operates latch bolt.</li> </ul>	 <ul style="list-style-type: none"> <li>• Fixed handle (does not move or rotate).</li> </ul>

DSSD	DDSD
	
DOIB	
